



# BROUGHT TO YOU BY BOTTEK



TIMELESS QUALITY THROUGHPASSION







#### **Maximum efficiency**

The adjustable working width of the side brushes guarantees maximum cleaning in all conditions.

#### **Maximum suction**

The suction mouth and powerful suction turbine are able to efficiently collect materials such as gravel, sand and bulky fragments.

#### **Maximum autonomy**

The large capacity of the water tank ensures maximum operating autonomy by reducing downtime.



## **Accessibility**

Maintenance hatch under the driver's seat for checking and cleaning the suction pipe.

# **Easy maintenance**

With a belt drive, the sweeper does not have electronics components to maintain.



The water tanks are located on the side and easily removable. There is easy access to all main components for maintenance and repair.









#### Safe driving

Large standard tyres, axle suspension and optimal weight distribution ensure a safe and balanced ride.

# **Powerful transmission**

Thanks to its powerful transmission, the machine can also be used in difficult conditions and on slopes.



## **Maneuverability**

Steering by means of the central joint of the two half-frames, synchronised and with hydrostatic steering, makes even the most complex maneuvres much easier.



#### **Side brushes**

Full-movement side brushes are ideal for sweeping corners and gutters and for increasing the working surface.

# **Visibility**

The convex front glass facilitates daily operations on the mouth and suction hose.



#### Accessories

A high-pressure unit and a manual suction hose can be added as optional working tools to extend the range of possible operations.











# Low engine emissions

Tier 4 engine .The engine complies with the latest emission regulations

#### Reduced consumption of water


The Dulevo recycling system allows the machine to work while drastically reducing water consumption.


## Low sound power


the sound-absorbing material used, allows a high level of environmental comfort to be achieved.











#### **Technical data**

#### 850 TIER4

Variable sweeping width	in 59.1 - 72.9	mm 1.500 - 1.850
Grosse volume capacity	yd³ 0.87	m³ 0.66
Grosse volume capacity OPT	yd³1.13	m³ 0.86
Dumping height	in 56	mm 1.420
Cleaning performance	ft²/h 238,872	m²/h 22.000
Maximum speed	mph 16.8	Km/h 27
Turning diameter (kerb to kerb)	ft 18.4	mm 5.600
Seats in the cabin	1	
PM10 & PM2,5 Filtration EN 15429	EUNITED 4 Star	
Brand engine	Yanmar	
Engine emissions	Tier 4 (Step V)	
Fuel	Diesel	

**Applications\*.** A wide range of options and accessories, complementing its features, places the 850 at the highest level for versatility and ductility.

- Reverse of brushes rotation and suction inlet lifting system with switch from the cabin
- Front brush inclination adjustment from the cab
- 1.1 yd³ stainless steel contaier
- Washing system with gun and reel
- Water recycling system
- Reflecting stripes
- Hydraulic oil low level gauge
- Acoustic reverse signal (self leveling)
- Pneumatic sprung seat

- Electrically controlled and heated mirrors
- Darkened windshields
- Lights on the suction inlet
- Suction unit with hose Ø 3,9 In Length 118 In
- Water kit for suction hose
- Spare tire (not on board)
- Hydraulic Jack
- Customized painting (no chassis)
- Wax film for sea freight
- DULEVO TELEMATIC



\*Some pictures and equipment may show options that are not available in all markets. For information contact your nearestdealer: www.dulevo.com or info@dulevo.com







**Bortek Industries. Inc. - Authorized Dealer** 4713 Gettysburg Road, Mechanicsburg, PA 800.626.7835 www.sweeperland.com

QUALITY, INNOVATION AND RESPECT FOR THE ENVIRONMENT **Dulevo Certifications:** 









ISO 45001 SAFETY SYSTEM CERTIFICATION



**EUnited PM TEST** COLLECTION AND FILTRATION





**Dulevo - Fayat Cleantech Americas** 725A Imperial Court, Charlotte, NC 28273 www.dulevo.com/us

> **Dulevo** International S.p.A. Via Giovannino Guareschi, 1 43012 Fontanellato (PR) Italy Tel: +39-0521-827711

> > www.dulevo.com







