

# AQUATECH™ B-SERIES COMBINATION JET/VAC SYSTEM



THE POWER OF  
REARWARD THINKING

# AQUATECH™ B-SERIES

***CLEANS UP EVERYTHING IN ITS PATH.  
INCLUDING THE COMPETITION.***

## REEL ADVANTAGE

The rear-mounted hose reel design with **180° hydraulic articulation** takes the operator off of the street and away from traffic.

## REEL REACH

The rear-mounted hose reel puts more useable power in the hands of the operator with reach beyond the truck's width and a **12' work radius**.

## REEL VIEW

An unobstructed, **270° view** provides a far-safer field of vision for the driver.



***No hose reel, no boom  
impair driver visibility***





## BLOWS EVERYTHING ELSE AWAY


A high-performance **27" Hg blower** is the most powerful in the industry for faster, more efficient vacuum loading.

## POWER EQUALS PRODUCTIVITY

The ultimate, get-in, get-out vacuum power and performance to make **quick work** of tough projects.


## POWER WITHOUT PROBLEMS

The horizontal transfer case drive delivers quiet, **consistent power** with fewer parts and is virtually maintenance-free for less downtime.



## VERSATILITY THAT SPEAKS VOLUMES

*GO FROM SEWER CLEANER TO LARGE-VOLUME HYDRO EXCAVATOR WITH NO LOSS IN PERFORMANCE.*



# RUN CIRCLES AROUND SEWAGE


**THE TOP-LOADING BOOM AND ONE-PIECE VACUUM HOSE PROVIDE UNLIMITED 360° OPERATION.**


## FREEDOM OF FLEXIBILITY

Industry-leading flexibility means safe, **easy placement** of the unit regardless of the manhole or excavation location.

## MAXIMUM CAPACITY

**Top-mounted boom** design provides optimum load distribution and more usable payload capacity without hose bends that clog and wear.





## CAPACITY MEETS VERACITY

The industry's only ASME-certified **6-15 cubic yard** debris tank. Water tank capacity from **570-1,750 gallons**.



*Both the debris tank and the water tank are built for the long haul and are backed by an industry-leading lifetime warranty to prove it.*

## PRESSURE WITH PRECISION

A triplex pump design allows smooth, constant pressure with an efficient, reliable drive up to **150 GPM**.

## THE NOISE POLLUTION SOLUTION

The rear hose reel operating position means less vibration, less heat, and **2x to 4x less noise** than front hose reel systems for reduced operator fatigue and increased safety.

**Meets or exceeds OSHA requirements with industry's lowest dBA of 82** or less at the hose reel, eliminating the need for bulky ear protection.

**No ear protection needed**



# CRAFTED WITHOUT COMPROMISE

**B-SERIES**

PROVEN

**AQUATECH™**  
A PRODUCT OF HI-VAC CORPORATION

ENGINEERING

**HI-VAC®**  
CORPORATION

INNOVATION



[f](#) [in](#) [▶](#) [BortekPWX.com](http://BortekPWX.com)

4713 Gettysburg Rd | Mechanicsburg, PA 17055

Tel: 800.626.7835

**Bortek®**  
INDUSTRIES, INC. A FAMILY COMPANY SINCE 1967  
**PWX**

**AQUATECH™**  
A PRODUCT OF HI-VAC CORPORATION