



# POWERBOSS THE POWER OF GLEAN ARMADILLO SERIES OX 10X

Ride-on vacuum sweepers for very large areas



PowerBoss Armadillo Series are our high- performance vacuum sweepers for heavy-duty applications. These machines are fully hydraulic and provide a cleaning performance of up to 217,800 ft²/h. The 10X, in particular, can be equipped with up to two side brooms to achieve a working width of 84 inches. Working on inclines of up to 16% is no problem at all for this sweeper. PowerBoss Armadillo is a highly efficient machine that provides maximum working comfort and is a showpiece of excellent workmanship.



#### Professional sweeping results - for challenging applications

PowerBoss Armadillo reliably deals with even extra-large amounts of dirt and particularly demanding working environments. When equipped with two side brooms, the 10X's working width is 84 in. This sweeper collects dirt and debris and moves it into the 158-gallon-capacity (which equates to approx. 2,000 lbs) dirt hopper made of robust sheet steel. The 64-in high dump system enables easy emptying.

#### Four-stage dust filter system:

Stage 1: Suction system with a collection tray at the main broom Stage 2: Pre-filter eliminates dust before it reaches the panel filter

Stage 3: Efficient synthetic panel filter

Stage 4: Powerful filter-cleaning motor

- Robust and easy-to-change retractable side broom.
- Extra-large, multi-level dirt hopper with high dump and RTR system.
- Powerful filter shaker.
- Hydraulic front brakes. Additional standard equipment: a mechanical parking brake.
- Liquid-cooled industrial engine (diesel or LPG).
- Spark-arresting silencer.
- Easy-to-change sweeping unit.

- Dual-speed sweeping system
- Spark-arresting silencer
- Water-cooled diesel or LPG engine
- Wet-sweep bypass
- Power filter shaker



#### Large debris hopper capacity - Unique System

PowerBoss Armadillo combines its particularly large capacity dirt hopper with our unique Rotary-Trash- Relocator system (RTR system), which provides both extremely long running times per operation and superior economic efficiency. The RTR system briefly rotates the hopper forward, which can increase the filling capacity by up to 50%, depending on the type of dirt and debris.

#### Efficient and economical in- and outdoor applications

The vacuum sweeper PowerBoss Armadillo is your perfect choice when it comes to professional cleaning results on large areas.

These machines are tailor-made for applications in areas such as:

- Modern production lines
- Metal processing industry
- Foundries
- Breweries
- Beverage industry
- Large warehouses
- Waste industry
- Concrete and cement factories
- Shopping and leisure centres
- Car parks

### **Special Features**

## Designed with Attention to Detail



Clearly Structured

The driver has a constant overview of all functions. Everything is within easy reach on the user-friendly operating panel.



**Practical Feature** 

The robust sheet-steel debris hopper can be lifted to a dumping height of up to 64 in.



Climbing Ability
Thanks to Power Climb™, PowerBoss's Armadillo is capable of climbing high curbs and inclines of up to 16% - in sweeping mode and with a fully loaded hopper.



#### Even more productive and efficient:

The right broom is available as a standard to increase the machine's cleaning performance. Using a second broom (option) increases the sweeping width to (up to) 84" - for even more efficient working.



#### Comfortable and robust:

PowerFlex<sup>TM</sup>, the rear suspension as used in the automotive sector minimises vibrations for the driver and ensures a long service life of the machine.



#### Highest levels of economic efficiency:

The large 158 gallon capacity debris hopper ensures long operating times and efficient working.




#### Comfortable maintenance

PowerSwing™ enables 360° access to both the engine and hydraulic system. For reduced downtimes and increased productivity.



#### No-tools quick-change filter for easy, routine maintenance.

Equipped with a dual dust filter and four-stage dust filtration system as a standard.



## **ARMADILLO SERIES AT A GLANCE**

Productivity         124,080 sq ft per hour         184,800 sq ft per hour         217,800 sq ft per hour           Dimensions & Weight         Usinches         105 inches         105.88 inches           Width         53 inches         60 inches         68 inches           W/ Overhead Guards         79.5 inches         81 inches         81 inches           W/ Cab         N/A         81 inches         81 inches           Height         53 inches         55.38 inches         53.38 inches           Weight         2,550 lbs         3,500 lbs         4,575 lbs           Minimum U-Turn         82 inches         110 inches         115 inches           Sweeping System           Sweep Path         53 inches         62 inches         72/84 inches           Sweep Path         53 inches         48 inches         56 inches           Side Broom         24 inches         24 inches         26 inches           Side Broom         24 inches         24 inches         26 inches           Second Side Broom         N/A         Optional         Optional           Hopper Type         High Dump         High Dump         High Dump           Hopper Load Capacity         650 lbs	SPECIFICATION	6X	9X	10X
Length         79 inches         105 inches         105.88 inches           Width         53 inches         60 inches         68 inches           w/ Overhead Guards         79.5 inches         81 inches         81 inches           w/ Cab         N/A         81 inches         81 inches           Height         53 inches         55.38 inches         53.38 inches           Weight         2,550 lbs         3,500 lbs         4,575 lbs           Minimum U-Turn         82 inches         110 inches         115 inches           Sweeping System           Sweep Path         53 inches         62 inches         72/84 inches           Main Broom         36 inches         48 inches         56 inches           Side Broom         24 inches         24 inches         26 inches           Side Broom         N/A         Optional         Optional           Hopper Type         High Dump         High Dump         High Dump           Hopper Volume         10 cu ft         22 cu ft         30 cu ft           Hopper Load Capacity         650 lbs         1,500 lbs         2,000 lbs           Dust Control         92 sq ft         110 sq ft         180 sq ft           High Dump         60 inch	Productivity	124,080 sq ft per hour	184,800 sq ft per hour	217,800 sq ft per hour
Width         53 inches         60 inches         68 inches           w/ Overhead Guards         79.5 inches         81 inches         81 inches           w/ Cab         N/A         81 inches         81 inches           Height         53 inches         55.38 inches         53.38 inches           Weight         2,550 lbs         3,500 lbs         4,575 lbs           Minimum U-Turn         82 inches         110 inches         115 inches           Sweeping System         5         53 inches         62 inches         72/84 inches           Sweep Path         53 inches         62 inches         72/84 inches           Side Broom         36 inches         48 inches         56 inches           Side Broom         N/A         Optional         Optional           Hopper Type         High Dump         High Dump         High Dump           Hopper Volume         10 cu ft         22 cu ft         30 cu ft           Hopper Load Capacity         650 lbs         1,500 lbs         2,000 lbs           Dust Control         92 sq ft         110 sq ft         180 sq ft           High Dump         60 inches         60 inches         64 inches           RTR (Rotary Trast Relocation)         Yes         Yes </td <td>Dimensions &amp; Weight</td> <td></td> <td></td> <td></td>	Dimensions & Weight			
w/ Overhead Guards       79.5 inches       81 inches       81 inches         w/ Cab       N/A       81 inches       81 inches         Height       53 inches       55.38 inches       53.38 inches         Weight       2,550 lbs       3,500 lbs       4,575 lbs         Minimum U-Turn       82 inches       110 inches       115 inches         Sweeping System         Sweep Path       53 inches       62 inches       72/84 inches         Main Broom       36 inches       48 inches       56 inches         Side Broom       24 inches       24 inches       26 inches         Second Side Broom       N/A       Optional       Optional         Hopper Type       High Dump       High Dump       High Dump         Hopper Volume       10 cu ft       22 cu ft       30 cu ft         Hopper Load Capacity       650 lbs       1,500 lbs       2,000 lbs         Dust Control       92 sq ft       110 sq ft       180 sq ft         High Dump       60 inches       60 inches       64 inches         RTR (Rotary Trast Relocation)       Yes       Yes         Fuel Type(s)       Gasoline LPG & Diesel       Gasoline LPG & Diesel	Length	79 inches	105 inches	105.88 inches
w/ CabN/A81 inches81 inchesHeight53 inches55.38 inches53.38 inchesWeight2,550 lbs3,500 lbs4,575 lbsMinimum U-Turn82 inches110 inches115 inchesSweeping SystemSweep Path53 inches62 inches72/84 inchesMain Broom36 inches48 inches56 inchesSide Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Width	53 inches	60 inches	68 inches
Height53 inches55.38 inches53.38 inchesWeight2,550 lbs3,500 lbs4,575 lbsMinimum U-Turn82 inches110 inches115 inchesSweeping SystemSweep Path53 inches62 inches72/84 inchesMain Broom36 inches48 inches56 inchesSide Broom24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	w/ Overhead Guards	79.5 inches	81 inches	81 inches
Weight2,550 lbs3,500 lbs4,575 lbsMinimum U-Turn82 inches110 inches115 inchesSweeping SystemSweep Path53 inches62 inches72/84 inchesMain Broom36 inches48 inches56 inchesSide Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	w/ Cab	N/A	81 inches	81 inches
Minimum U-Turn 82 inches 110 inches 115 inches  Sweeping System  Sweep Path 53 inches 62 inches 72/84 inches  Main Broom 36 inches 48 inches 56 inches  Side Broom 24 inches 24 inches 26 inches  Second Side Broom N/A Optional Optional  Hopper Type High Dump High Dump High Dump  Hopper Volume 10 cu ft 22 cu ft 30 cu ft  Hopper Load Capacity 650 lbs 1,500 lbs 2,000 lbs  Dust Control 92 sq ft 110 sq ft 180 sq ft  High Dump 60 inches 60 inches 64 inches  RTR (Rotary Trast Relocation) Yes Yes Yes  Fuel Type(s) Gasoline LPG & Diesel Gasoline LPG & Diesel	Height	53 inches	55.38 inches	53.38 inches
Sweeping SystemSweep Path53 inches62 inches72/84 inchesMain Broom36 inches48 inches56 inchesSide Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Weight	2,550 lbs	3,500 lbs	4,575 lbs
Sweep Path53 inches62 inches72/84 inchesMain Broom36 inches48 inches56 inchesSide Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Minimum U-Turn	82 inches	110 inches	115 inches
Main Broom36 inches48 inches56 inchesSide Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Sweeping System			
Side Broom24 inches24 inches26 inchesSecond Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Sweep Path	53 inches	62 inches	72/84 inches
Second Side BroomN/AOptionalOptionalHopper TypeHigh DumpHigh DumpHigh DumpHopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Main Broom	36 inches	48 inches	56 inches
Hopper Type High Dump High Dump Hopper Volume 10 cu ft 22 cu ft 30 cu ft Hopper Load Capacity 650 lbs 1,500 lbs 2,000 lbs  Dust Control 92 sq ft 110 sq ft 180 sq ft High Dump 60 inches 60 inches 64 inches  RTR (Rotary Trast Relocation) Yes Yes  Fuel Type(s) Gasoline LPG & Diesel Gasoline LPG & Diesel	Side Broom	24 inches	24 inches	26 inches
Hopper Volume10 cu ft22 cu ft30 cu ftHopper Load Capacity650 lbs1,500 lbs2,000 lbsDust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Second Side Broom	N/A	Optional	Optional
Hopper Load Capacity 650 lbs 1,500 lbs 2,000 lbs  Dust Control 92 sq ft 110 sq ft 180 sq ft  High Dump 60 inches 60 inches 64 inches  RTR (Rotary Trast Relocation) Yes Yes Yes  Fuel Type(s) Gasoline LPG & Diesel Gasoline LPG & Diesel	Hopper Type	High Dump	High Dump	High Dump
Dust Control92 sq ft110 sq ft180 sq ftHigh Dump60 inches60 inches64 inchesRTR (Rotary Trast Relocation)YesYesYesFuel Type(s)Gasoline LPG & DieselGasoline LPG & DieselGasoline LPG & Diesel	Hopper Volume	10 cu ft	22 cu ft	30 cu ft
High Dump 60 inches 60 inches 64 inches  RTR (Rotary Trast Relocation) Yes Yes Yes  Fuel Type(s) Gasoline LPG & Diesel Gasoline LPG & Diesel  Gasoline LPG & Diesel	Hopper Load Capacity	650 lbs	1,500 lbs	2,000 lbs
RTR (Rotary Trast Relocation)  Yes  Yes  Yes  Fuel Type(s)  Gasoline LPG & Diesel  Gasoline LPG & Diesel  Gasoline LPG & Diesel	Dust Control	92 sq ft	110 sq ft	180 sq ft
Fuel Type(s) Gasoline LPG & Diesel Gasoline LPG & Diesel Gasoline LPG & Diesel	High Dump	60 inches	60 inches	64 inches
	RTR (Rotary Trast Relocation)	Yes	Yes	Yes
Engine Make Kubota Kubota Kubota	Fuel Type(s)	Gasoline LPG & Diesel	Gasoline LPG & Diesel	Gasoline LPG & Diesel
	Engine Make	Kubota	Kubota	Kubota

A FAMILY COMPANY SINCE 1967

